

DATE: 24 Jun 02

STATEMENT OF WORK (SOW)
for the
Rebuild
of the
AN/TPS-59(V)3
Azimuth Drive Gear Assembly
NSN 3010-01-154-9632

SOW-04-C4I-8A065B-1/1

1. This SOW identifies the work effort that shall be performed by the contractor to rebuild the AN/TPS-59(V)3 Azimuth Drive Gear Assembly, NSN 3010-01-154-9632, part number 7327347G1, CAGE 03538.
2. The following points of contact apply for this SOW:

RICHARD E. JONES
Team Leader
Equipment Specialist
Battlespace Management and Air Defense Systems (BMADS)
Marine Corps Systems Command (MCSC), Albany, GA

GYSGT ROBERT D. TENAGLIA
Equipment Specialist
Battlespace Management and Air Defense Systems (BMADS)
Marine Corps Systems Command (MCSC), Albany, GA

STATEMENT OF WORK (SOW)
for the
Rebuild
of the
AN/TPS-59(V)3
Azimuth Drive Gear Assembly
NSN 3010-01-154-9632

1.0 Scope. This Statement of Work (SOW) establishes, sets forth tasks and identifies the work efforts that shall be performed by the contractor to rebuild the AN/TPS-59(V)3 Azimuth Drive Gear Assembly, NSN 3010-01-154-9632, part number 7327347G1, CAGE 03538, hereafter referred to as the Azimuth Drive Gear Assembly. This document contains requirements to restore the Azimuth Drive Gear Assembly to Condition Code "A." Condition Code "A" is defined as "serviceable/issuable without qualification; new, used, repaired or reconditioned material that is serviceable and issuable to all customers without limitation or restriction, including material with more than six months shelf-life remaining."

1.1 Background. Rebuild is defined as "That maintenance technique to restore an item to a standard as near as possible to original or new condition in appearance, performance, and life expectancy. This is accomplished through a maintenance technique or complete disassembly of the item, inspection of all parts or components, repair or replacement of worn or unserviceable parts/elements using original manufacturing tolerances and/or specifications and subsequent reassembly of the item."

2.0 Applicable Documents. The following documents form a part of this SOW to the extent specified. Unless otherwise specified, the issues of these documents are those listed in the Department of Defense Index of Specifications and Standards (DoDISS) and supplements thereto which are in effect on the date of solicitation. In the event of conflict between the documents referenced herein and the contents of this SOW, the contents of this SOW shall be the superseding requirements.

2.1 Military Standards

MIL-STD-129	DoD Standard Practice for Military Marking
MIL-STD-2073-1D	DoD Standard Practice for Military Packaging

2.2 Other Government Documents and Publications

Engineering Drawing 7327347, CAGE 03538	Gear Assembly, Azimuth Drive
--	------------------------------

Engineering Drawing 7327347G1, CAGE 03538	Parts List, Gear Assembly, Azimuth Drive
--	--

Engineering Drawing
7343258, CAGE 03538

Assembly Procedure, Gear Assembly, Azimuth Drive

Military Handbooks (For Guidance Only)

MIL-HDBK-61

Configuration Management Guidance

2.3 Industry Standards

ANSI/ISO/ASQC

Quality Systems - Model for Quality Assurance in Final
Q9003-1994 Final Inspection and Test

Industry Standards (For Guidance)

ANSI/EIA-649

National Consensus Standard for Configuration
Management

Copies of Military Standards and Specifications are available from the DOD Single Stock Point, Document Automation and Production Service, Building 4/D, 700 Robbins Avenue, Philadelphia, PA 19111-5094, commercial telephone number (215) 697- 2179 or DSN 442-2179, or <http://www.dodssp.daps.mil>. Copies of other government publications required by contractors in connection with specific SOW requirements shall be obtained through the Contracting Officer: Contracts Department (Code 891), P.O. Drawer 43019, 814 Radford Blvd., Marine Corps Logistics Bases, Albany, GA 31704-3019, commercial telephone number (229) 639-6761 or DSN 567-6761. Copies of engineering drawings, if applicable, shall be obtained from: Supply Chain Management Center, Attn: Code 583-1, 814 Radford Blvd. Suite 20320, Albany, GA 31704-0320, commercial telephone number (229) 639-6410 or DSN 567-6476.

3.0 Requirements

3.1 The contractor shall rebuild the Azimuth Drive Gear Assembly strictly in accordance with the requirements as specified in Engineering Drawing 7327347, CAGE 03538 and Parts List 7327347G1, CAGE 03538. Additionally, all seals/gaskets and bearings/bearing assemblies shall be replaced. Mechanical repairs, including any necessary repairs to the Gear Assembly castings, shall be performed as required. Surface preparation, to correct/prevent corrosion damage, painting, and restenciling/replacement of decals shall also be accomplished on all Azimuth Drive Gear Assemblies inducted for repair. All Azimuth Drive Gear Assemblies will be filled with the appropriate lubricant to the proper operating level, and tagged accordingly. Assembly and testing shall be conducted in accordance with Assembly Procedure 7343258, CAGE 03538, and the test results shall be documented in a Test Data Report (TDR). The contractor shall be responsible for all parts, materials, labor, facilities, tools, and test equipment necessary to rebuild the equipment in accordance with this SOW.

3.2 Packaging, Handling, Storage and Transportation (PHS&T)

3.2.1 The contractor shall be responsible for preservation and packaging of item(s) to be repaired under the terms of this statement of work. Items scheduled for long-term storage or shipment to overseas destinations shall be in accordance with level "A" requirements of MIL-STD-2073-1D, Appendix A, Table A.VI, Electronic Equipment. Items scheduled for domestic shipment for immediate use or short-term storage shall be in accordance with level "B" requirements.

NOTE: Level "A" preservation and packaging shall normally be required due to the anticipated long-term storage requirements. Exceptions: Items that have a confirmed immediate use requirement shall be identified, in writing, by the Logistics Management Specialist (MCSC, BMADS, Albany, Georgia).

3.2.2 Marking for shipment and storage shall be in accordance with MIL-STD-129.

3.2.3 The Marine Corps will provide the contractor with the shipping address(es) for delivery of the repaired equipment. The contractor shall be responsible for arranging for shipment to the pre-designated site(s). The Marine Corps will be responsible for transportation costs associated with shipping the subject equipment to and from the contractor.

3.3 Configuration Control. The contractor shall apply configuration control to established configuration items. Deviations from this established baseline configuration shall not be allowed without the express written approval of the Logistics Management Specialist (LMS), BMADS. All permanent changes to the form, fit, or function of the baseline shall be by Engineering Change Proposal. MIL-HDBK-61 and ANSI/EIA-649 provide guidance for preparing these configuration control documents. If necessary to temporarily depart from the authorized configuration baseline, the contractor shall prepare and submit a Request for Deviation.

3.4 Government Furnished Equipment (GFE)/Government Furnished Materiel (GFM). The Management Control Activity (MCA/Code 573-2) will coordinate Government Furnished Equipment/Government Furnished Materiel (GFE)/(GFM) requests and maintain a central control system on all government owned assets in the contractor's possession. The MCA will forward a GFE Accountability Agreement to the contractor for signature on an annual basis to establish a chain of custody and identify property responsibilities for Marine Corps assets. The contractor is to acknowledge receipt of GFM to the MCA within 15 days of receipt. This can be done by mailing a copy of the DD1348 to Materiel Management Department, Management Control Activity (Code 573-2), 814 Radford Blvd., STE 20320, Albany, GA 31704-0320 or faxing a copy to commercial 229-639-5498 or DSN 567-5498.

3.5 Quality Assurance Provisions. The contractor shall provide and maintain a Quality System that, as a minimum, adheres to the requirements of ANSI/ISO/ASQC Q9003-1994, Quality Systems - Model for Quality Assurance in Final Inspection and Test.

4.0 Reports. The contractor shall develop a Test Data Report (TDR) in contractor format, referencing this SOW, the NSN, part number, and serial number of the Azimuth Drive Gear

Assembly. The TDR shall reference the specific paragraph of the Assembly Procedure 7343258, CAGE 03538, for all "Performance Requirements" (i.e. the allowable parameters, and quantitative test results). Upon request, a copy of the TDR shall be submitted electronically (preferred), via regular mail, or by facsimile to the Logistics Management Specialist (LMS), BMADS. For a current listing of the e-mail address(es) and/or telephone numbers which shall be used to submit these reports, contact the Equipment Specialist(s) listed on the cover page of this SOW at either DSN 567-5072/6568, or Commercial (229) 639-5072/6568. The mailing address is: Commander, Marine Corps Systems Command, Attn: Logistics Management Specialist, BMADS, 814 Radford Blvd., Suite 20343, Albany, GA 31704-0343. Facsimiles may be sent to (229) 639-6545 or DSN 567-6545, Attn: Logistics Management Specialist, BMADS.

CONTRACT DATA REQUIREMENTS LIST

(1 Data Item)

Form Approved
OMB No. 1704-0188

The Public reporting burden for this collection of information is authorized to average 110 hours per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to Department of Defense, Washington Headquarters Services, Directorate for Information Operations and Reports 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302 and to the Office of Management and Budget, Paperwork Reduction Project (0704-0188), Washington, DC 20503. Please DO NOT RETURN your form to either of these addresses. Send completed form to the Government issuing Contract Officer for the contract/PR No. listed in block E.

A. CONTRACT LINE ITEM NO.	B. EXHIBIT	C. CATEGORY: TDP _____ TM _____ Other <u>XXX</u>
---------------------------	------------	---

D. SYSTEM/ITEM Azimuth Drive Gear Assembly	E. CONTRACT/PR No.	F. CONTRACTOR
---	--------------------	---------------

1. DATA ITEM No. A001	2. TITLE OF DATA ITEM ENGINEERING CHANGE PROPOSAL (ECP)	3. SUBTITLE CONFIGURATION MANAGEMENT
--------------------------	--	---

4. AUTHORITY (Data Acquisition Document No.) DI-CMAN-80639C	5. CONTRACT REFERENCE SOW Para. 3.3	6. REQUIRING OFFICE MARCORLOGBASES 583-1
--	--	---

7. DD 250 REQ. LT	9. DIST STATEMENT REQUIRED A	10. FREQUENCY AS REQ	12. DATE OF FIRST SUBMISSION SEE BLOCK 16	14. DISTRIBUTION
8. APP CODE A		11. AS OF DATE	13. DATE OF SUBSEQUENT SUBMISSION	a. ADDRESSEE

16. REMARKS Block 4: Contractor Format using .doc or .pdf software application is authorized. Block 10 & 12: ECPs shall be submitted for all proposed changes which permanently affect the baseline of a configuration item. ECPs will be reviewed and disposition determined within 20 working days upon receipt by the government. ECPs shall be transmitted via e-mail to the following address: mbmatcomconfigmgmnt@matcom.usmc.mil . Distribution Statement A: Approved for public release, distribution is unlimited.	MCLBA 583-1	0	1	0

G. PREPARED BY: <i>Cindy Shelton</i>	H. DATE <i>6/18/02</i>	I. APPROVED BY: <i>Richard S Jones</i>	J. DATE <i>6/24/02</i>
---	---------------------------	---	---------------------------

17. PRICE GROUP

18. ESTIMATED
TOTAL PRICE

CONTRACT DATA REQUIREMENTS LIST

(1 Data Item)

Form Approved
OMB No. 1704-0188

The Public reporting burden for this collection of information is authorized to average 110 hours per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to Department of Defense, Washington Headquarters Services, Directorate for Information Operations and Reports 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302 and to the Office of Management and Budget, Paperwork Reduction Project (0704-0188), Washington, DC 20503. Please DO NOT RETURN your form to either of these addresses. Send completed form to the Government issuing Contract Officer for the contract/PR No. listed in block E.

A. CONTRACT LINE ITEM NO. B. EXHIBIT C. CATEGORY:
TDP _____ TM _____ Other XXX

D. SYSTEM/ITEM Enhanced Memory E. CONTRACT/PR No. F. CONTRACTOR
Azimuth Drive Gear Assembly

1. DATA ITEM No. 2. TITLE OF DATA ITEM 3. SUBTITLE
A002 REQUEST FOR DEVIATION (RFD) CONFIGURATION MANAGEMENT

4. AUTHORITY (Data Acquisition Document No.) 5. CONTRACT REFERENCE 6. REQUIRING OFFICE
DI-CMAN-80640C Para 3.3 MARCORLOGBASES 583-1

7. DD 250 REQ. 8. APP CODE 9. DIST STATEMENT REQUIRED 10. FREQUENCY 11. AS OF DATE 12. DATE OF FIRST SUBMISSION 13. DATE OF SUBSEQUENT SUBMISSION 14. DISTRIBUTION
LT A AS REQ SEE BLOCK 16 a. ADDRESSEE Draft Reg Repro

16. REMARKS
Block 4: Contractor Format using .doc or .pdf software applications is authorized.
Block 10 & 12: RFDs shall be submitted to obtain authorization to deliver nonconforming material which does not meet the prescribed configuration documentation.
RFDs will be reviewed and disposition determined within 20 working days upon receipt by the government.
RFDs shall be transmitted via e-mail to the following address:
mbmatcomconfigmngmnt@matcom.usmc.mil.
Distribution Statement A: Approved for public release, distribution is unlimited.

G. PREPARED BY: H. DATE I. APPROVED BY: J. DATE
Cindy Shelton 6/18/02 Richard S Jones 6/24/02

DD FORM 1428-1, AUG 96 (EG)

PREVIOUS EDITION MAY BE USED

Page 1 of 1 Pages
Designed using Perform Pro, WHS/D/or, Aug 96

17 PRICE GROUP

18 ESTIMATED
TOTAL PRICE